



JUSTRITE

SPILL CONTAINMENT & HAZMAT

- Spill Containment Kits 90-91
- Spill Pads, Socks and Booms..... 91-92
- Biodegradable Sorbents 92
- Safety Handling, Storage and Accessories 93-96
- Hazmat Suits 96



GATOR® SPILL KITS

- For unexpected spills and immediate containment of any kind
- Use Gator® Canada's line of sorbents to stop flowing fuel, oil or antifreeze from reaching soil or water
- Decreases the cost of cleanup



EMERGENCY SPILL KIT (economy)



- Contains:
 - 3 L shaker Oil Gator®
 - 4" x 4" Cell-U-Sorb® sock
 - Poly pads
 - Chemical gloves
 - Dust mask
 - Goggles
 - Disposable bag with tie and instructions

GTP SP10



BEHIND-THE-SEAT SPILL KIT (small)



- Contains:
 - 5 lbs. Oil Gator®
 - 4" x 4" Cell-U-Sorb® sock
 - Poly pads
 - Plug-n-dike®
 - Chemical gloves
 - Dust mask
 - Goggles
 - Disposable bag with tie and instructions

GTP SP15



LARGE SPILL KIT



- Contains:
 - 10 lbs. Oil Gator®
 - Cell-U-Sorb® socks
 - Poly pads
 - Plug-n-dike®
 - Chemical gloves
 - Dust mask
 - Goggles
 - Disposable bags with ties and instructions

GTP SP20



TRUCK SPILL KIT 2



- Small nylon zippered bag
- Fits behind seat, yet tough enough to last many refills
- Contains:
 - (1) Sorbent sock, 3" x 48"
 - (1) Disposal bag, 26" x 36"
 - (1) Pair safety goggles
 - (1) Pair nitrile gloves
 - (1) Oil sponge, 1 lb. bag
 - (1) Nylon zipper bag
 - (10) Sorbent pads, 17" x 19"

SPK FCSK19 Oil only
 SPK FCSKU19 Universal / chemical



OPERATING EQUIPMENT SPILL KIT



- Uses minimal storage space on operating equipment
- Contains:
 - (1) Disposal bag, 24" x 36"
 - (1) Oil sponge, 2 lb. bag
 - (1) Nylon carry bag
 - (1) Repair putty
 - (3) Sorbent socks, 3" x 48"
 - (30) Sorbent pads, 17" x 19"

SPK FCSK22 Oil only
 SPK FCSKU22 Universal / chemical



TRUCK SPILL KIT 1



- Perfect for trucks or where spill protection with minimal storage space is needed
- Contains:
 - (1) Sorbent sock, 3" x 48"
 - (1) Oil sponge, 1 lb. bag
 - (1) Disposal bag
 - (1) Pair goggles
 - (1) Pair gloves
 - (1) Ziplock bag
 - (10) Sorbent pads, 17" x 19"

SPK FCSK18 Oil only
 SPK FCSKU18 Universal / chemical



60 LITRE SPILL KIT



- Contains:
 - (1) Pair of nitrile gloves
 - (1) Pair of safety goggles
 - (2) Sorbent pillows, 8" x 18"
 - (2) Disposal bags, 26" x 36"
 - (3) Sorbent socks, 3" x 48"
 - (20) Sorbent pads, 17" x 19"

OIL ONLY

SPK ASK20O Poly ziplock bag
 SPK ASK20ON Nylon bag
 SPK ASK20OP 14 gal. pail

GENERAL PURPOSE

SPK ASK20U Poly ziplock bag
 SPK ASK20UN Nylon bag
 SPK ASK20UP 14 gal. pail

HAZMAT

SPK ASK20H Poly ziplock bag
 SPK ASK20HN Nylon bag
 SPK ASK20HP 14 gal. pail

Commercial
 Solutions Inc

Demand Expert Solutions®

Additional Product Options are Available in Stock. Speak to One of Our Experts.



250 L OUTDOOR SPILL KIT



- Contains:
 - (1) Spill cart, 42" x 30" x 29"
 - (100) Sorbent pads, 17" x 19"
 - (4) Sorbent socks, 3" x 120"
 - (4) Sorbent socks, 3" x 48"
 - (4) Sorbent pillows, 18" x 18"
 - (1) Bag of SpeediKleen®
 - (1) Drain cover, 36" x 36"
 - (3) Disposal bags
 - (2) Pairs of safety goggles
 - (2) Pairs of nitrile gloves

OIL ONLY

- SPK CSKF250**
- SPK CSKF250C** With casters
- SPK CSKF250R** Replacement kit (no cart)

GENERAL PURPOSE

- SPK CSKUF250**
- SPK CSKUF250C** With casters
- SPK CSKUF250R** Replacement kit (no cart)

HAZMAT

- SPK CSKH250**
- SPK CSKH250C** With casters
- SPK CSKH250R** Replacement kit (no cart)



250 L MOBILE SPILL KIT



- Contains:
 - (1) Mobile spill cart, 30" x 29" x 42"
 - (100) Sorbent pads, 17" x 19"
 - (4) Sorbent socks, 3" x 120"
 - (4) Sorbent pillows, 18" x 18"
 - (1) Bag of SpeediKleen®
 - (1) Drain cover, 36" x 36"
 - (3) Disposal bags
 - (2) Pairs of safety goggles
 - (2) Pairs of nitrile gloves

OIL ONLY

- SPK CSKF250M**
- SPK CSKF250MR** Replacement kit (no cart)

GENERAL PURPOSE

- SPK CSKU250M**
- SPK CSKU250MR** Replacement kit (no cart)

HAZMAT

- SPK CSKH250M**
- SPK CSKH250MR** Replacement kit (no cart)



45 GALLON SPILL KIT



- Contains:
 - (1) Granular absorbent, 25 lb. bag
 - (1) Neoprene drain cover, 36" x 36"
 - (1) Retractable shovel
 - (2) Pairs of safety goggles
 - (2) Nitrile gloves
 - (2) Tyvek suits
 - (2) Dust masks
 - (3) Sorbent booms, 5" x 120"
 - (5) Sorbent socks, 3" x 48"
 - (5) Six mil clear disposal bags
 - (50) Sorbent pads, 17" x 19"

OIL ONLY

- SPK CSKF45**
- SPK CSKF45R** Replacement kit (no drum)

GENERAL PURPOSE

- SPK CSKUF45**
- SPK CSKUF45R** Replacement kit (no drum)

HAZMAT

- SPK CSKHF45**
- SPK CSKHF45R** Replacement kit (no drum)



95 GALLON SPILL KIT



- Contains:
 - (50) Sorbent pads, 17" x 19"
 - (3) Sorbent booms, 5" x 120"
 - (5) Sorbent socks, 3" x 48"
 - (1) Granular absorbent, 25 lb. bag
 - (1) Neoprene drain cover, 36" x 36"
 - (5) Six mil clear disposal bags
 - (1) Retractable shovel
 - (2) Pairs of safety goggles
 - (2) Pairs of nitrile gloves
 - (2) Tyvek suits
 - (2) Dust masks
 - (1) Contents list

OIL ONLY

- SPK CSKF95**
- SPK CSKF95M** Wheeled overpack
- SPK CSKF95R** Replacement kit (no drum)

GENERAL PURPOSE

- SPK CSKF95**
- SPK CSKUF95M** Wheeled overpack
- SPK CSKUF95R** Replacement kit (no drum)

HAZMAT

- SPK CSKHF95**
- SPK CSKHF95M** Wheeled overpack
- SPK CSKHF95R** Replacement kit (no drum)



GATOR® BOOMS AND SOCKS



- Highly absorbent cellulose material for water containment and land spill containment

- GTP GS32** 5" X 10' Cell-U-Sorb® boom w/ clip
- GTP GS40** 4" x 4' universal sock



GENERAL PURPOSE SOCKS



- For general maintenance and containment around machinery in aggressive environments

- SPK GP3048** 3" x 48" 30 per case
- SPK GP10120** 3" x 120" 10 per case



BONDED SORBENT PADS AND ROLLS



- Oil select bonded pads are ideal for wiping applications when increased tensile strength is necessary
- Sonic bonding process creates a stronger, more durable fibre, without affecting absorption

PADS				
PART #	MODEL	SIZE	DESCRIPTION	QTY / CASE
SPK BP100	BP100	17" x 19"	Heavy	100
SPK BP200	BP200	17" x 19"	Light	200
SPK BEP100	BEP100	17" x 19"	Medium	100
ROLLS				
SPK BR144	BR144	30" x 150'	Heavy	1
SPK BSR144	BSR144	15" x 150'	Heavy	2
SPK BER144	BER144	30" x 150'	Medium	1
SPK BESR144	BESR144	15" x 150'	Medium	2



UNIVERSAL AGGRESSIVE PADS AND ROLLS

- Absorbs all liquids including aggressive acids
- Necessary for any hazmat spill or spill contingency planning
- Both are bonded for tensile strength and absorb 25 times their weight in all liquids

PADS				
PART #	MODEL	SIZE	DESCRIPTION	QTY / CASE
SPK UP100	UP100	17" x 19"	Heavy	100
SPK UP200G	UP200G	17" x 19"	Light	200
ROLLS				
SPK UR150	UR150	30" x 150'	Heavy	1
SPLIT ROLLS				
SPK USR150	USR150	15" x 150'	Heavy	2



UNIVERSAL CHEMICAL SORBENTS

- Designed to pick up aggressive hydrocarbon (oil and water) spills
- Suitable for non-aggressive acids, caustics, coolants, solvents, water and solutions

PADS				
PART #	MODEL	SIZE	DESCRIPTION	QTY / CASE
SPK UP118	UP118	17" x 19"	Heavy	100
SPK UP200	UP200	17" x 19"	Light	200
SPK UP1189	UP1189	17" x 19"	Medium	100
ROLLS				
SPK UR136	UR136	30" x 150'	Heavy	1
SPK UR1185	UR1185	15" x 150'	Heavy	2
SPK UR1369	UR1369	30" x 150'	Medium	1
SPK UR1189	UR1189	15" x 150'	Medium	2
BOOMS				
SPK UB510	UB510	5" X 10'	N/A	4
SOCKS				
SPK MOPU3048	MOPU3048	3" x 4'	N/A	30
SPK MOPU101020	MOPU101020	3" x 120"	N/A	10
PILLOWS				
SPK SPU818	SPU818	8" x 18"	N/A	20
SPK SPU1818	SPU1818	18" x 18"	N/A	10



PADS, ROLLS AND BOOMS (oil only)

- Cost-effective absorption technology
- Fast-wicking fibres absorb 25 times their weight in hydrocarbon

PADS				
PART #	MODEL	SIZE	DESCRIPTION	QTY / CASE
SPK P100	P100	17" x 19"	Heavy	100
SPK P200	P200	17" x 19"	Light	200
SPK EP100	EP100	17" x 19"	Medium	100
ROLLS				
SPK R144	R144	30" x 150'	Heavy	1
SPK SR144S	SR144S	15" x 150'	Heavy	1
BOOMS				
SPK B510	B510	5" X 10'	N/A	4
SPK B810	B810	8" x 10'	N/A	4
SOCKS				
SPK MOPM3048	MOPM3048	3" x 48"	N/A	30
SPK MOPO10120	MOPO10120	3" x 120"	N/A	10
PILLOWS				
SPK SP1818	SP1818	18" x 18"	N/A	10
SPK SAKPIL10	SAKPIL10	4" x 20"	N/A	10



CELL-U-SORB® SORBENT

- 100% cellulose absorbent produced from recycled raw materials
- Harmless to plant, animal and aquatic life
- Selectively absorbs hydrocarbons from water while absorbing trace amounts of water for a cleaner surface
- Environment Canada tested to pick up 18.9 times its weight in medium weight oil
- Meets EPA 1996 mandate for waste reduction

GTP GS25 20 lb. bag
GTP GS255GP 5 gal. pail w/ lid and scoop



FLOOR GATOR® SORBENT

- Premium oil absorbent made from 100% recycled waste products
- All natural, biodegradable and environmentally friendly
- Absorbs and fully encapsulates up to six times its own weight in oil or oil-based products
- Suppresses volatile organic compounds
- Helps meet EPA 1996 mandate of waste reduction
- Not WHMIS regulated

GTP GS20 30 lb. bag
GTP GS205GP 5 gal. pail w/ lid and scoop
GTP GS205J3 3 L shaker jug



ACID-GATOR® SORBENT

- Absorbs, encapsulates, suppresses vapours and begins neutralization of acids in one easy step
- No splattering, allows the safe addition of neutralizing agent
- 1 lb. effectively absorbs up to 3/4 of a gal. of acid

GTP GS15 25 lb. bag
GTP GS155GP 5 gal. pail w/ lid and scoop
GTP GS155J3 3 L shaker jug



OIL GATOR® SORBENT

- All natural biocatalyst that is biodegradable and environmentally friendly
- Contains indigenous microbes for rapid desegregation of unwanted hydrocarbons
- Absorbs up to six times its weight in oil or oil-based products
- Suppresses volatile organic compounds while stopping spills from leaching into the soil or groundwater
- Not WHMIS regulated

GTP GS10 30 lb. bag
GTP GS105GP 5 gal. pail w/ lid and scoop
GTP GS105J3 3 L shaker jug



PORTA-GATOR® SPILL CONTROL SYSTEM

- Multi-purpose dispenser made of 100% recyclable polyethylene plastic
- Comes with:
 - Hinged leakproof cover lid
 - Mounting clips for broom and shovel
 - 10" chemical resistant core rubber tire
 - Polyolefin wheels
 - Static shovel and broom

GTP PGVT



GATOR® OVERPACK SALVAGE DRUM



- Rugged, UV protected, 100% polyethylene construction with superior chemical resistance and excellent durability
- Twist-on threaded lid
- "X" rated and offers the highest UN and D.O.T. certification
- Can be used with all packing classes of hazardous materials I, II and III including solvents, acids, poisons and explosives
- Complies with D.O.T. 49 CFR 173.3(c)(1), IMO, ICAO and IATA

JUS 28201



GATOR® LABPACK



- Meets UN "X" rating requirements
- Complies with D.O.T. 49CFR 173.12
- 20 gallon, grey 100% Gator-tuff high-density polyethylene construction
- Twist-on, threaded lid
- Ideal for transporting hazardous materials in smaller containers
- Safely hold medical waster destined for freezer or incineration

JUS 28205



GATOR® STEEL DRUM DOLLY



- Generously sized to accommodate overpack salvage drums or a 55 gal. drum
- Allows for easy repositioning of heavy drums

JUS 28270



UNO D.O.T. SAFETY CANS



- Ideal when remote usage of gas fueled equipment is needed
- Multi-task spout that changes from transport to usage mode
- Dual fusible link bracket is tethered to the spout and equipped with a big, easy-to-grasp tightening screw
- Fusible link melts at 165°F to prevent dangerous pressure build-up at elevated temperatures
- Features an internal dual-density flame arrester, leaktight, self-closing lid, automatic venting between 3 and 5 psig and a flexible metal hose that provides a grounding path to prevent static sparks

PART #	CAPACITY (GALLONS)	EXTERIOR DIMENSIONS	HOSE DIMENSIONS	APPROV./LSTG. REGULATION	ORIGINAL RED PART #
JUS 10861	5	12.625 x 18.25	0.625" x 9"	FM, D.O.T., UN	10841
JUS 10860	5	12.625 x 18.25	1" x 9"	FM, D.O.T., UN	10840



RED OILY WASTE CAN



- OSHA compliant for the disposal of contaminated rags and cloths
- Round steel body construction with durable powder paint finish and perforated, elevated bottom for air circulation
- Specialty 60° opening lid that stays closed when not in use
- UL listed (except countertop) and FM approved

PART #	CAPACITY (gallons)	DESCRIPTION
JUS 09200	2	Countertop
JUS 09100	6	Foot operated cover
JUS 09110	6	Hand operated cover
JUS 09300	10	Foot operated cover
JUS 09310	10	Hand operated cover
JUS 09500	14	Foot operated cover
JUS 09700	21	Foot operated cover
JUS 09710	21	Hand operated cover



PLUNGER CAN



- Designed for moistening of cleaning cloths
- Rugged 24 gauge steel construction with tough, lead-free, chemical resistant powder paint coating
- Brass pump assembly with perforated flame arrester screen
- Self-draining

JUS 10008	1 pt.
JUS 10108	1 qt.
JUS 10143	2 pt.
JUS 10208	2 qt.
JUS 10308	1 gal.
JUS 14018*	1 qt.

* Corrosion resistant, high density polyethylene



TYPE 1 RED SAFETY CAN FOR FLAMMABLES



- Premium 24 gauge all steel construction with durable, high gloss powdered paint finish
- Self-closing lid with dual density flame arrester
- Leakproof, relief cap and reinforced "bumper guards"
- Meets OSHA, NFPA Code 30, FM approvals and most are UL and ULC listed

JUS 10101	1 qt.
JUS 10201	2 qt.
JUS 10502	2 gal. with funnel
JUS 10552	2-1/2 gal. with funnel
JUS 10702	3 gal. with funnel
JUS 10802	5 gal. with funnel



UNO™ TYPE 2 RED SAFETY CAN FOR FLAMMABLES



- Premium steel construction with durable, chemical resistant powder coat paint and 1/2" raised bottom
- Leak-tight, self-closing lid with full length, dual density flame arrester
- Rounded handle and Safe-Squeeze® trigger mechanism
- Automatic venting between 3 psi and 5 psi
- Meets OSHA, NFPA and FM approvals
- UL and ULC listed
- Comes with:
 - Piston actuated spout
 - Vacuum release valve
 - Flexible metal hose

JUS 10368	1 gal. with 5/8" hose
JUS 10468	1-1/2 gal. with 5/8" hose
JUS 10568	2 gal. with 5/8" hose
JUS 10768	3 gal. with 5/8" hose
JUS 10767	3 gal. with 1" hose
JUS 10868	5 gal. with 5/8" hose
JUS 10867	5 gal. with 1" hose



TYPE 2 RED SAFETY CAN FOR FLAMMABLES



- Heavy-duty, lead-free coated steel construction with reinforced ribs and swing handle
- Two convenient top openings, one equipped with a flexible metal hose and one used for filling
- Both equipped with full length, dual density flame arrester and self-closing lids
- Rear opening automatically vents
- Meets OSHA, NFPA and FM approvals
- Most are UL and ULC listed
- * FM and UL only

JUS 10327*	1 gal. with 5/8" hose
JUS 10527*	2 gal. with 5/8" hose
JUS 10721	3 gal. with 5/8" hose
JUS 10728	3 gal. with 1" hose
JUS 10821	5 gal. with 5/8" hose
JUS 10828	5 gal. with 1" hose



ANTISTATIC WIRES FOR DRUM HANDLING



- Prevents sparks from static electricity generated by movement and flow of flammable liquids
- Standard wires: 3', coiled wires: 10'
- For longer reach, use several wires with 1/4" terminal ends
- "C" clamps: 5/8", alligator clips: 5/8" and pipe clamps: 2/3"

PART #	WIRE	END CONNECTIONS
JUS 08496	Flexible, coiled	Hand clamp x 1/4" terminal
JUS 08497	Insulated, coiled	Hand clamp x 1/4" terminal
JUS 08498	Flexible	"C" clamp x hand clamp
JUS 08499	Flexible	Dual hand clamp
JUS 08500	Flexible	Dual alligator clips
JUS 08501	Flexible	"C" clamp x alligator clip
JUS 08503	Flexible	Dual 1/4" terminals
JUS 08505	Insulated	"C" clamp x alligator clip
JUS 08506	Insulated	Dual 1/4" terminals
JUS 08507	Insulated	"C" clamp x pipe clamp



DRUM WRENCH



- Opens drum bung caps
 - Rugged, nonsparking corrosive resistant tool fits any of seven alternate 2" or 0.75" styles commonly used on drums
 - Handle designed to protect hand
- JUS 08805**



AEROSOL CAN BENCHTOP SAFETY CABINET



- Fits up to twenty-four aerosol cans in two easy roll-out shelves
- Compact size fits virtually anywhere for hassle-free organization
- Key-locking Sure-Grip door handle secures contents
- Meets NFPA Code 30 and OSHA regulations

PART #	CAPACITY (GALLONS)	EXTERIOR DIMENSIONS	ADJUSTABLE SHELVES	DOORS	STYLE	APPROV./LSTG. REGULATION
JUS 890500	24 cans	27" X 21" X 18"	2 roll out drawers	1	Self-latching	O, N



Demand Expert Solutions®

OFFERING
COMPREHENSIVE
SAFETY SOLUTIONS
FOR YOUR BUSINESS.

Call our experts
to find out more.

TOLL FREE
1 888 522 9822



YELLOW COUNTERTOP AND COMPAC CABINETS



- For storing smaller quantities of flammable liquids at a work station or adding to existing storage capacities
- Supplied with one adjustable shelf
- Holds a full 12 or 15 gallons of flammables

PART #	CAPACITY (GALLONS)	EXTERIOR DIMENSIONS	ADJUSTABLE SHELVES	DOORS	STYLE	APPROV./LSTG. REGULATION
JUS 891200	12	35" X 23.25" X 18"	1	1	Manual, compac	FM, N, O
JUS 891220	12	35" X 23.25" X 18"	1	1	Self-close, compac	FM, N, O, U
JUS 891520	15	44" X 23.25" X 18"	1	1	Self-close, compac	FM, N, O, U
JUS 891500	15	44" X 23.25" X 18"	1	1	Manual, compac	FM, N, O
JUS 890420	4	22" X 17" X 17"	1	1	Manual, countertop	N, O, U
JUS 890400	4	22" X 17" X 17"	1	1	Manual, countertop	N, O



YELLOW UNDERCOUNTER CABINET



- Provides quick access at work stations
- Sized and fitted with a 3-1/2" x 2-1/2" kickplate to mount flush with other cabinetry
- Dual vents with flash arresters are located on the back wall for easy connection if ventilation is needed
- Leveling feet adjust to 1.125" for alignment on uneven floors

PART #	CAPACITY (GALLONS)	EXTERIOR DIMENSIONS	ADJUSTABLE SHELVES	DOORS	STYLE	APPROV./LSTG. REGULATION
JUS 892320	22	35" X 35" X 22"	1	2	Self-close	FM, N, O, U



SURE-GRIP® EX SAFETY CABINETS



- OSHA compliant
- Offers firefighter friendly Haz-Alert™ reflective labels for high visibility in the dark and a versatile U-Loc™ padlockable handle

PART #	CAPACITY (GALLONS)	EXTERIOR DIMENSIONS	ADJUSTABLE SHELVES	DOORS	STYLE	APPROV./LSTG. REGULATION
JUS 893040	30	44" x 43" x 18"	1	1	Self-close sliding door	FM, N, O, U
JUS 894540	45	65" x 43" x 18"	2	1	Self-close sliding door	FM, N, O, U
JUS 896040	60	65" x 34" x 34"	2	1	Self-close sliding door	FM, N, O, U
JUS 893020	30	44" x 43" x 18"	1	2	Self-close	FM, N, O, U
JUS 894520	45	65" x 43" x 18"	2	2	Self-close	FM, N, O, U
JUS 896020	60	65" x 34" x 34"	2	2	Self-close	FM, N, O, U



YELLOW HORIZONTAL DRUM STORAGE CABINETS



- Designed to house drums being used for gravity flow dispensing
- Interior provides space for a drip can and includes tracks to guide a drum cradle into position

PART #	CAPACITY (GALLONS)	EXTERIOR DIMENSIONS	ADJUSTABLE SHELVES	DOORS	STYLE	APPROV./LSTG. REGULATION
JUS 899300	1 to 55	50" X 30" X 48"	None	2	Manual	N, O
JUS 899320	1 to 55	50" X 30" X 48"	None	2	Self-close	N, O, U



YELLOW VERTICAL DRUM STORAGE CABINETS



- Safe storage for solvent filled drums
- Safely house one or two 30 to 55 gallon drums
- All cabinets are supplied with a removable, adjustable half-depth shelf to store Class III materials or spare accessories such as drum funnels, vents and antistatic wires
- Also designed to accommodate drums equipped with a pump or funnel; OSHA code 29cfr 1910.106 states that not more than 60 gallons may be Class I and II liquids

PART #	CAPACITY (GALLONS)	EXTERIOR DIMENSIONS	ADJUSTABLE SHELVES	DOORS	STYLE	APPROV./LSTG. REGULATION
JUS 896220	1 to 55	65" x 34" x 34"	None	2	Self-close	FM, N, O, U
JUS 896270	1 to 55	65" x 34" x 34"	None	2	Self-close with drum rollers	FM, N, O, U
JUS 899060	2 to 30	65" x 43" x 34"	None	2	Manual with drum rollers	FM, N, O
JUS 896260	1 to 55	65" x 34" x 34"	None	2	Manual with drum rollers	FM, N, O
JUS 899100	2 to 55	65" x 59" x 34"	None	2	Manual with drum rollers	N, O
JUS 899160	2 to 55	65" x 59" x 34"	None	2	Manual with drum rollers	N, O
JUS 896200	1 to 55	65" x 34" x 34"	None	2	Manual	FM, N, O



YELLOW PIGGYBACK SAFETY CABINETS



- Designed to mount on top of Justrites standard 30 and 45 gallon manual or self-close cabinets
- They can also be used singly as a benchtop cabinet or stacked to provide additional storage
- Wall mounting capabilities when combined with a wall hanger assembly
- Not to be used with sliding door cabinets

PART #	CAPACITY (GALLONS)	EXTERIOR DIMENSIONS	ADJUSTABLE SHELVES	DOORS	STYLE	APPROV./LSTG. REGULATION
JUS 891320	12	18" X 43" X 18"	None	2	Self-close	FM, N, O, U
JUS 891720	17	24" X 43" X 18"	1	2	Self-close	FM, N, O, U
JUS 891300	12	18" X 43" X 18"	None	2	Manual	FM, N, O
JUS 891700	17	24" X 43" X 18"	1	2	Manual	FM, N, O



YELLOW SLIMLINE SAFETY CABINETS



- Double wall, air insulated, welded steel construction offers fire resistance
- Three-point, self-latching door on a continuous piano hinge provides smooth, secure closure
- Cabinet includes three "spillcatcher" galvanized steel shelves to catch incidental drips and a 2" leakproof sump for spill control
- Other extras include dual vents, adjustable leveling feet, a grounding connector, and large trilingual warning label identifying contents
- Finished in a chemical resistant powder coat paint

PART #	CAPACITY (GALLONS)	EXTERIOR DIMENSIONS	ADJUSTABLE SHELVES	DOORS	STYLE	APPROV./LSTG. REGULATION
JUS 892220	22	65" X 23.25" X 18"	3	1	Self-close	FM, N, O, U
JUS 895420	54	65" X 23.25" X 34"	3	1	Self-close	FM, N, O, U



TYCHEM® TK ENCAPSULATED SUIT



- A patented, limited use fabric consisting of multiple barrier films laminated to both sides of a tough substrate material
- Tychem® TK provides one of the broadest ranges of chemical protection available
- Both sewn and taped to provide strong chemical resistance against heavy liquid splashes and tough seam stress
- Fully encapsulated Level A suit with:
 - Extra wide three-layer faceshield (PVC 40 mil / Teflon® 5 mil / PVC 20 mil) or standard faceshield view
 - Attached internal Barrier® gloves
 - Attached outer butyl gloves
 - Expanded back for SCBA
 - Flat back for SAR
 - Front entry or rear entry
 - Gas-tight zipper closure
 - Double storm flap over zipper
 - Attached boots with outer boot flaps
 - Knee wear pads
 - Two exhaust valves
 - Internal adjustment belt
- Sizes small to 3X-large

PART #	FACESHIELD	BACK	ENTRY
DUP TK554T (size)	Extra wide	Expanded	Front
DUP TK555T (size)	Extra wide	Expanded	Rear
DUP TK552T (size)	Standard	Flat	Front
DUP TK553T (size)	Standard	Flat	Rear



TYCHEM® RESPONDER® ENCAPSULATED SUIT



- A patented fabric consisting of multiple film barriers with unique layers laminated to each side of a 3 oz. / 2 yd. polypropylene substrate
- Fully encapsulated Level A (gas-tight) suit with:
 - PVC faceshield
 - Front entry
 - Flat back
 - Two exhaust valves
- Integral gloves and sock boots sewn and taped to provide strong chemical resistance against heavy liquid splashes and tough seam stress
- Sizes small to 3X-large

DUP R5552T(SIZE)
DUP R5551T(SIZE)*
DUP R5550T(SIZE)**

* Rear entry
 ** Expanded back



TYCHEM® HAZMAT RESPONDER® ENCAPSULATED SUIT



- All the same features as the Tychem® Responder® suit except that the HazMat version includes:
 - PVC faceshield with FEP overlay lens
 - Butyl gloves with SilverShield® / 4H liners
 - Sock boots
 - Double taped seams
- Sizes small to 3X-large

DUP R5562T(SIZE) Front entry
DUP R5563T(SIZE) Rear entry